

which must be clearly marked. Closed cars must be fitted with two circuit breakers, one in the driver's compartment and one outside the vehicle in an easily detectable location. The fitting of such circuit breakers which is compulsory for speed events on circuits and hill-climbs is authorized and even recommended for rallies.

**o) Oil catch tank:** when cars are running in events which are entered on the FIA Sporting Calendar and when their lubrication system includes an open type sump breather, they must be equipped in such a way as to prevent oil from spilling on the track. In cars of a cylinder-capacity inferior or equal to 2,000 cc, the oil catching device shall have a minimum capacity of 2 litres and of 3 litres for cars with a cylinder-capacity exceeding 2,000 cc.

**p) Minimum lighting equipment:**

- for all types of races, cars must be equipped with two "Stop" lights. In addition for events run during the night, cars must be fitted with at least two headlights as effective as those normally fitted on FIA homologated Touring or Grand Touring cars and two direction indicators mounted at the rear.
- for events run on open roads (rallies), cars must comply with the legal requirements of the country of the event; cars from other countries must comply in this respect with the Convention on international road traffic.

**q) Limits of authorized modifications:** certain modifications to the original parts, certain additions and/or removal of accessories normally mounted by the manufacturer of the model concerned, are explicitly authorized by the present regulations. The limits of these modifications are set out for each of the 6 groups of categories A and B. All those not explicitly mentioned as permissible for the group in which the car claims classification and which affect, even secondarily, the mechanical efficiency of the engine, the steering, the transmission, the road-holding and/or the braking, will imply the exclusion of the car from its group.

If these modifications or additions have been the subject of a previous statement by the entrant, the car may be allowed to compete in the event in one of the other groups provided in the supplementary regulations and with the prescriptions of which it complies. Should there be however an obvious case of wilful misrepresentation, the entrant should not be authorized to start or should be stopped if he had already started, with request to the ACN concerned to pronounce his suspension for at least 12 months.

**r) Fuel:** for speed races on circuit and hillclimbs: the fuel defined under Art. 298 hereafter.

For rallies: a commercial fuel freely sold in the country(ies) traversed by the event. If in one of the countries the standards of the best commercial fuel are inferior to the fuel having the lowest octane number in one of the three following countries: France, Great Britain, Italy, a special waiver may be granted to the promoters with the approval of the CSI.

Upper-cylinder or two-stroke engine lubricants are authorized on condition there is no increase of the fuel octane number.

**s) Application of general prescriptions:** the general prescriptions must be complied with if the particular specifications of groups of cars of categories A and B do not mention them or do not provide for any stricter prescription.

**Art. 254.—Rule for changing from one group to another and authorized amalgamation of groups:** cars originally belonging to a certain group but which have been subject to duly declared modifications and/or additions that

exceed the limits specified for the group concerned, may pass into a higher group, provided for in the supplementary regulations, with the prescription of which it complies and under the following conditions:

- Group 1 passes into group 2.
- Group 3 passes into group 4.
- Group 4 (or 3+4) passes into group 5.
- Group 5 (or 3+4+5) passes into group 6.

### TITLE III

#### **SERIES PRODUCTION TOURING CARS (Group 1)**

**Art. 255.—Definition:** touring cars built on large series production terms. These cars shall compete in an event without having undergone any preparation likely to improve their performances or their conditions of use. The only working authorized is normal maintenance or the replacement parts damaged through wear or accident and the modifications and additions explicitly authorized hereafter under article 257. Except for what is explicitly authorized any part damaged through wear or accident may only be replaced by an original part which must be exactly the same as the one for which it is substituted.

**Art. 256.—Minimum production and number of seats:** series-production touring cars shall have been manufactured in a quantity of at least 5,000 identical units and offer at least 4 seats, except if their engine cylinder-capacity is inferior or equal to 700 cc. In which case the manufacturer may deliver them as two-seaters.

#### **Art. 257.—Mountings and modifications authorized:**

a) **Lighting devices:** all lighting and signalling devices must comply with the legal requirements of the country of the event; cars from abroad must comply in this respect with the Convention on international road traffic.

Lighting devices which are part of the standard equipment must remain those foreseen by the manufacturer and must comply as far as is concerned their functioning with what the manufacturer has foreseen for the considered model. Thus, if changing from a road beam to a passing beam is produced by merely deflecting the beam inside one same reflector, this system may not be altered.

Freedom is granted with regard to the frontal glass, the reflector and the bulbs.

The mounting of additional headlights is authorized provided that a total of 6 headlights is not exceeded (parking lights not included). Extra headlights may, if necessary, be fitted into the front part of the coachwork or into the radiator grille, but such openings as needed in this case must be completely filled by the additional headlights. Shall be considered as a headlight any lighting-device throwing a beam towards the front (dipped-beam, long range lamp, anti-fog lamp).

The fitting of reverse-lights is authorized, if necessary by embedding into the coachwork, but provided it will only switch on when engaging the reverse-gear, and provided the police regulations are respected.

The mounting of manoeuvrable search-lights on the roof or elsewhere is forbidden.

Waivers may be granted to these specifications on condition that they be explicitly provided for in the supplementary regulations of the event.

*To comply with legal requirements of certain countries, it is permissible to rearrange the casing of front signalling devices in order to house both traffic indicators and parking lights.*